

14t - 16t - 18t - Motor Seçenekleri / 14t-16t-18t OPTIONS OF ENGINE**CUMMINS**

Tip/ Type: WK3
Model: QSB6.7(EuIII/ EPAIII) C190
Çıkış gücü/ Rated output: 142 kw/ 2300rpm
Tork/ Rated torque: 930/1500rpm
Silindir sayısı/ No. of cylinder: 6
PistonxStrok/ BorexStroke: 107 x 124 mm
Silindir Hacmi / Displacement: 6.7 L

20t - 23t - 25t Motor Seçenekleri / 20t - 23t - 25t OPTIONS OF ENGINE**CUMMINS**

Tip/ Type: WL3
Model: QSC 8.3 (EuIII/ EPAIII) C240
Çıkış gücü/ Rated output: 176 kw/ 2200rpm
Tork/ Rated torque: 1085 N.m/ 1500rpm
Silindir sayısı/ No. of cylinder: 6
PistonxStrok/ BorexStroke: 117 x 135 mm
Silindir Hacmi / Displacement: 8.3 L

28t - 30t - 32t Motor Seçenekleri / 28t - 30t - 32t OPTIONS OF ENGINE**CUMMINS**

Tip/ Type: WTS
Model: QSB8.3(EuIII/ EPAIII) C260
Çıkış gücü/ Rated output: 194 kw/ 2200rpm
Tork/ Rated torque: 1180/1500rpm
Silindir sayısı/ No. of cylinder: 6
PistonxStrok/ BorexStroke: 117 x 135 mm
Silindir Hacmi / Displacement: 8.3 L


Ağır Hizmet Dizel Forklift

HEAVY DUTY DIESEL FORKLIFT

**14t - 16t - 18t - 20t - 23t
25t - 28t - 30t - 32t**

Yük Grafikli/ Load Chart

Kaldırma Yüzeği/ L.R. Height: 4500 mm


AĞIR HİZMET FORKLİFTLER
 Heavy Duty Forklift Trucks

	FD140T	FD160T	FD180T	FD200T	FD230T	FD250T	FD280T	FD300T	FD320T
	Dizel	Dizel	Dizel	Dizel	Dizel	Dizel	Dizel	Dizel	Dizel
	14000	16000	18000	20000	23000	25000	28000	30000	32000
	1220	1220	1220	1220	1220	1220	1220	1220	1220
	4000	4000	4000	4000	4000	4000	4000	4000	4000
	6° / 12°	6° / 12°	6° / 12°	6° / 12°	6° / 12°	6° / 12°	6° / 12°	6° / 12°	6° / 12°
	2440x250x100	2440x250x105	2440x250x110	2440x300x105	2440x300x110	2440x300x110	2440x300x110	2440x320x110	2440x320x110
	810 - 2140	820 - 2140	820 - 2140	1040 - 2660	1040 - 2660	1040 - 2660	1360 - 2980	1360 - 2980	1360 - 2980
	650 (±325)	660 (±330)	660 (±330)	810 (±405)	810 (±405)	810 (±405)	810 (±405)	810 (±405)	810 (±405)
	1060	1060	1060	1200	1200	1200	1200	1200	1260
	1000	1000	1000	1100	1100	1100	1200	1200	1260
	220	220	220	300	300	300	300	300	300
	8300	8300	8300	9240	9240	9240	9740	9740	9740
	2535	2535	2535	3020	3020	3020	3420	3420	3420
	3280	3280	3280	3580	3580	3580	3800	3800	3800
	3915	3915	3915	4250	4250	4250	4390	4390	4390
	5300	5300	5300	6270	6270	6270	6270	6270	6270
	1200 - 24 - 20PR	1200 - 24 - 20PR	1200 - 24 - 20PR	1400 - 24 - 24PR	1400 - 24 - 28PR	1400 - 24 - 28PR	1600 - 25 - 32PR	1600 - 25 - 32PR	1600 - 25 - 36PR
	1200 - 20 - 20PR	1200 - 20 - 20PR	1200 - 20 - 20PR	1400 - 24 - 24PR	1400 - 24 - 28PR	1400 - 24 - 28PR	1600 - 25 - 32PR	1600 - 25 - 32PR	1600 - 25 - 36PR
	1850	1850	1850	2200	2200	2200	2490	2490	2490
	2120	2120	2120	2300	2300	2300	2470	2470	2470
	3800	3800	3800	4500	4500	4500	4800	4800	4800
	30	30	30	28	28	28	26	26	26
	320	320	320	300	300	300	270	270	260
	380	380	380	330	330	330	310	310	310
	125	125	125	160	160	160	250	250	250
	25	25	25	25	25	25	20	20	20
	25700	25800	26300	35200	35400	36400	41500	42000	42800
	35100	38400	41600	49160	53870	56940	59170	62100	70300
	4500	3400	2700	6040	4530	4460	4830	4100	5700
	12700	12800	12800	18400	18500	18500	18100	18100	21500
	12900	13000	13500	16800	16900	17900	17900	18100	22500
	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120	2 x 12 / 120
	ZF	ZF	ZF	ZF	ZF	ZF	ZF	ZF	ZF
	3WG171	3WG171	3WG171	3WG211	3WG211	3WG211	3WG211	3WG211	3WG211
	3 / 3	3 / 3	3 / 3	3 / 3	3 / 3	3 / 3	3 / 3	3 / 3	3 / 3
	Alman Kessler - Huachen	Alman Kessler - Huachen	Alman Kessler - Huachen	Kessler - Alman Kessler	Kessler - Alman Kessler	Kessler - Alman Kessler	Kessler - Alman Kessler	Kessler - Alman Kessler	Kessler - Alman Kessler
	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake	Islak multi disk fren - Multi-disk brake
	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake	Kaliper disk fren - Caliper disc brake
	19	19	19	21	21	21	21	21	21

Compact FD135T-Compact 160T GENİŞ GÖRÜŞ ASANSÖRÜ / FD135-160T WIDE VIEW MAST

Asansör adı/ Mast name	Max. Çatal yüksekliği/ Max. Fork height (mm)	Mast kapalı yükseklik Overall height (mm)	Palet Çatalı kapalı kasa ağırlığı Door frame weight of pallet fork (kg)		Yük Merkezi/ Load centre (mm)	
			FD135T	FD160T	FD135T	FD160T
M300	3000	3370	5324	5350	900	600
M350	3500	3620	5450	5480	900	600
M400	4000	3870	5580	5615	900	600
M450	4500	4120	5770	5750	900	600
M500	5000	4420	6150	6070	900	600
M550	5500	4670	6225	6175	900	600

FD140T-160T-180T GENİŞ GÖRÜŞ ASANSÖRÜ / FD140T-160T-180T WIDE VIEW MAST

Asansör adı/ Mast name	Max. Çatal yüksekliği/ Max. Fork height (mm)	Mast kapalı yükseklik Overall height (mm)	Yük Merkezi/ Load centre (mm)			Tilt açısı/ön-arka Tilt angle (F/R)
			FD140T	FD160T	FD180T	
M300	3000	3420	1220	1220	1220	6 ° / 12 °
M350	3500	3670	1220	1220	1220	6 ° / 12 °
M400	4000	3920	1220	1220	1220	6 ° / 12 °
M450	4500	4170	1220	1220	1220	6 ° / 12 °
M500	5000	4420	1220	1220	1220	6 ° / 6 °
M550	5500	4670	1220	1220	1220	3 ° / 6 °

FD200T-230T-250T GENİŞ GÖRÜŞ ASANSÖRÜ / FD200T-230T-250T WIDE VIEW MAST

Asansör adı/ Mast name	Max. Çatal yüksekliği/ Max. Fork height (mm)	Mast kapalı yükseklik Overall height (mm)	Yük Merkezi/ Load centre (mm)			Tilt açısı/ön-arka Tilt angle (F/R)
			FD200T	FD230T	FD250T	
M300	3000	3420	1220	1220	1220	6 ° / 12 °
M350	3500	3670	1220	1220	1220	6 ° / 12 °
M400	4000	3920	1220	1220	1220	6 ° / 12 °
M450	4500	4170	1220	1220	1220	6 ° / 12 °
M500	5000	4420	1220	1220	1220	6 ° / 6 °
M550	5500	4670	1220	1220	1220	3 ° / 6 °

FD280T-300T-320T GENİŞ GÖRÜŞ ASANSÖRÜ / FD280T-300T-320T WIDE VIEW MAST

Asansör adı/ Mast name	Max. Çatal yüksekliği/ Max. Fork height (mm)	Mast kapalı yükseklik Overall height (mm)	Yük Merkezi/ Load centre (mm)			Tilt açısı/ön-arka Tilt angle (F/R)
			FD280T	FD300T	FD320T	
M400	4000	4500	1220	1220	1220	6 ° / 12 °
M450	4500	4750	1220	1220	1220	6 ° / 12 °
M500	5000	5000	1220	1220	1220	3 ° / 6 °

Tilt açısı/ön-arka Tilt angle (F/R)	Yük kapasitesi/ Load capacity (kg)		Serbest ağırlık/ Self weight (kg)	
	FD135T	FD160T	FD135T	FD160T
6° / 12°	13500	16000	25110	25560
6° / 12°	13500	16000	25230	25680
6° / 12°	13500	16000	25350	25800
6° / 12°	13500	16000	25760	26210
6° / 6°	13500	15000	25880	26330
3° / 6°	12500	14000	26000	26450

Yük kapasitesi/ Load capacity (kg)			Serbest ağırlık/ Self weight (kg)		
FD140T	FD160T	FD180T	FD140T	FD160T	FD180T
14000	16000	18000	25360	25560	26060
14000	16000	18000	25480	25680	26180
14000	16000	18000	25600	25800	26300
14000	16000	18000	26010	26210	26710
13200	15000	16800	26130	26330	26830
12500	14200	15800	26250	26450	26950

Yük kapasitesi/ Load capacity (kg)			Serbest ağırlık/ Self weight (kg)		
FD200T	FD230T	FD250T	FD200T	FD230T	FD250T
20000	23000	25000	34625	35025	36025
20000	23000	25000	34815	35215	36215
20000	23000	25000	35000	35400	36400
20000	23000	25000	35500	35900	36900
19400	22200	24200	35690	36090	37090
18900	21500	23500	35880	36280	37280

Yük kapasitesi/ Load capacity (kg)			Serbest ağırlık/ Self weight (kg)		
FD280T	FD300T	FD320T	FD280T	FD300T	FD320T
28000	30000	32000	41000	42500	44000
28000	30000	32000	41600	43100	44600
27000	28500	30000	41850	43350	44850

